





















1/20













**FIG. 1**

2/20








**FIG. 2**

3/20











**FIG. 3**

4/20













**FIG. 4**

5/20






**FIG. 5**

6 / 20





**FIG. 6**


7/20



***FIG. 7***




***FIG. 8***

















**FIG. 9**






**FIG. 10**




**FIG. 11**


11/20




LV




LVI




LVII




LVIII




LIX




LX



LXI




LXII




LXIII

**FIG. 12**


12/20




LXIV




LXV




LXVI




LXVII




LXVIII




LXIX




LXX




LXXI



LXXII




LXXIII




LXXIV

**FIG. 13**


13/20



LXXV




LXXVI




LXXVII

**FIG. 14**

14/20



**FIG. 15**




**FIG. 16**

ELISA

15/20

RANTES (80ng/ml) BINDING  
INHIBITIONS



ABS. READ AFTER 1HR.  
INC. WITH ABTS  
SUBSTRATE.


- ▨ HEPARIN
- ▧ 7
- ▩ 8
- ▤ 9
- ▥ 10

HEPARIN COATED  
WELLS (50ng/WELL)

FIG. 17

ELISA

RANTES (80ng/ml) BINDING  
INHIBITIONS



ABS. READ AFTER 1  
HR. INC. WITH ABTS  
SUBSTRATE

- ▨ HEPARIN
- ▧ 11
- ▩ 12
- ▤ 13

HEPARIN COATED  
WELLS (50ng/well)

FIG. 18

ELISA

16/20  
EOTAXIN (80ng/ml) BINDING  
INHIBITION




FIG. 19

ELISA

IL-8 (80ng/ml) BINDING  
INHIBITION





FIG. 20




17/20

ELISA



**FIG. 21**

ELISA



**FIG. 22**

18/20




FIG. 23






FIG. 24

19/20



**FIG. 25**

ELISA




**FIG. 26**

20/20

ELISA


RANTES (80ng/ml) BINDING INHIBITION  
WITH COMPOUNDS



**FIG. 27**

ELISA

IL-8 (80ng/ml) BINDING INHIBITION  
WITH COMPOUNDS



**FIG. 28**